

SIECON 西控按钮
Push Button 2003

专注精品按钮 智造



SIECON
M&E 西控机电 **新疆西控机电设备有限公司**

地址：新疆乌鲁木齐阿勒泰路2324号
www.sieconxk.com

XINJIANG SIECON ELECTROMECHANICAL
EQUIPMENT CO., LTD.

Address: No. 2324, Altay Road, Urumqi, Xinjiang
Website: www.sieconxk.com
Email: david25@sieconxk.com ; victor@siecon.com



Whatsapp



Wechat

 **国家高新技术企业**
National High-tech Enterprise
CCC CE C-PA US SGS UL Reach 质保5年

选型手册
Selection Guide

SIECON Push Button

企业使命

提供高品质产品和服务，打造中国精品开关品牌
Corporate Mission----- Provide high-quality products and services, to create China's high-quality switch brands

企业愿景

引领行业进步、共创美好未来
Corporate Vision----- Lead the industry to progress and create a better future together

企业价值观

正直诚信、担当责任、
细心严谨、创新分享
Corporate Value----- Integrity and honesty, responsibility, meticulousness and rigour, innovation and sharing

品质按钮 智选西控

Intelligent selection of SIECON by quality button

诚筑信 爱致远

SIECON西控按钮恪守三条生命线:

- 品质线** | 源头保障，专业生产，用心制造好产品；
- 合规线** | 敬畏守正，真诚律己，采产销服务透明；
- 共赢线** | 合作利他，共创美好，携手致力好生活。

ABOUT SIECON

XINJIANG SIECON ELECTROMECHANICAL EQUIPMENT CO., LTD.

关于西控



厂房 (Factory)



数控车间 (CNC workshop)



注塑车间 (Injection moulding workshop)



装配车间 (Assembly workshop)



实验室 (Laboratory)



产品展厅 (Product Showroom)

新疆西控机电设备有限公司成立于2001年，总部位于新疆，是一家集贸易、技术和服务于一体的综合性机电设备解决方案供应商。历经二十余年的稳健发展，我们已成长为连接全球顶尖工业品牌与本地化专业服务的桥梁。

Established in 2001 and headquartered in Xinjiang, Xinjiang SIECON M&E Equipment Co., Ltd. is a comprehensive supplier of electromechanical equipment solutions, integrating trade, technology, and service. After more than twenty years of steady development, we have become a bridge connecting world-leading industrial brands with localized professional services



IP对讲 /IP intercom



充电桩 /Charging pos



船舶控制 /Ship control



轨道交通 /Rapid transit



航空设备 /Aviation equipment



机器人控制 /Robot control



汽车制造业 /Automobile manufacturing



医疗设备 /Medical equipment



自动化设备 /Automation equipment

SIECON 按钮秉承“全心全意”的服务理念，贯彻“以顾客为关注焦点”的原则，系统化的建立了售前、售中、售后全过程服务体系。在现有销售服务网络的基础上，利用信息化手段完善客户关系管理，对客户实行不间断跟踪服务，及时收集市场信息，准确把握顾客需求，全方位的向顾客提供个性服务。

我们以真诚的服务信念缔造并实现着SIECON按钮“客户中心论”，客户的满意是我们最珍贵的资源，SIECON按钮在全国范围内具备完善的销售体系，各地经销商随时为您提供优质的产品和完善的服务。

SIECON button is always sticking to the wholehearted service philosophy and the principle of "focus on customers". It has systematically established the service system for the whole process of pre-sale, in-sale and after-sale. Based on the existing sales service network, it makes efforts to perfect customer relationship management by information-based means, and continuously provide tracing services for customers. Also, it collects timely market information to seize customers' requirement accurately and to provide them with omnidirectional individualized services.

Based on our sincere service faith, we established and are trying to realize the idea of "Customer-oriented". Customers' satisfaction is our most precious resource. SIECON button has a complete sales system all over the country; thus, distributors anywhere will provide you with high-quality products and perfect services at any time.

目录 CONTENTS

P03	急停按钮系列合集 Emergency Stop Button series
P04	急停按钮配保护罩展示 Emergency Stop Button With Protective Cover Display
P05	橱柜炉灶按钮 Cabinet Stove Button
P05	电梯按钮 Elevator Button
P06	HBDGQ系列高强度抗破坏金属信号灯 HBDGQ Series High-intensity Resistance and Anti-vandal Waterproof Signal lamp
P07	HBDGQ系列高强度抗破坏金属信号灯(带引线) HBDGQ Series High-intensity Resistance and Anti-vandal Waterproof Signa Lamp(with wires)
P08	HBDGQ金属蜂鸣器系列 HBDGQ Metal Buzzer/Flashing Buzzer Series
P09	HBDS1-D系列10A大电流金属按钮开关 HBDS1-D High Current Metal Push Button Switch
P10	D22 10A大电流金属按钮系列 D22 10A Series Metal Button High Current Metal Push button Series
P11	HBDGQ金属轻触开关(超薄型) HBDGQ Metal Micro Switch(Ultra-thin)
P12	HBDGQ金属电子开关 HBDGQ Metal Electronic Switch
P13	HBPS系列金属压电开关 HBPS Series Metal Piezoelectric Switch
P14	HBDGQ系列高强度抗破坏金属按钮开关 HBDGQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch
P16	HBDS1-AGQ系列高强度抗破坏金属按钮开关 HBDS1-AGQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch
P19	HBDS1GQ系列高强度抗破坏金属按钮开关 HBDS1GQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch
P20	HBDS1-BGQ系列高强度抗破坏防水金属按钮开关 HBDS1-BGQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch
P21	HBDGQ系列高强度抗破坏金属按钮开关 HBDGQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch
P22	HBD-K20A、HBD-K20B防水按钮 HBD-K20A、HBD-K20B Waterproof Push Button
P25	HBDY5(XB2/LAY5)型系列按钮开关 HBDY5(XB2/LAY5)Series Push Button Switch
P29	HBDSO(LA38)型系列按钮开关 HBDSO(LA38) Series Push Button Switch
P32	HBDS1-A系列按钮开关 HBDS1-A Series Push Button Switch
P33	HBDS1-B系列按钮开关 HBDS1-B Series Push Button Switch
P34	HBDS1-AW型系列按钮开关 HBDS1-AW Type Push Button Switch
P35	HBDS1-BW型系列按钮开关 HBDS1-AW Type Push Button Switch
P36	HBDY5(XB2、LAY5)系列按钮开关 HBDY5(XB2、LAY5) Series Push Button Switch
P37	HBDWN20万能转换开关 HBDWN20 Rotary Switches
P37	HBDWN16万能转换开关 HBDWN16 Rotary Switches
P37	十字开关系列 Cross Switch
P37	HBD16信号指示灯系列 HBD16 Series Indicator
P38	控制按钮盒系列 Control Button Box Series
P41	按钮附件系列 Push Button Accessory Series

急停按钮系列合集

Emergency Stop Button series
Ø16mm、Ø19mm、Ø22mm、Ø25mm、Ø30mm

急停按钮
Emergency Stop Button

Ø16mm



HBDS1-AGQ16F-□TS/U/R/RESET Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AGQ16F-□TS/U/PC/H Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AGQ16F-□TS/U/PC/R Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AY-□TS Ø16mm Emergency Stop Switch 急停按钮



HBDS1-AY-□TSA Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AY-□TSC Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AY-□TSD Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AGQ16F-□TS/G/PC/R Ø16mm Emergency Stop Switch 急停按钮




HBDS1-AGQ16H-□TS/24 Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AGQ16H-□TS/32 Ø16mm Emergency Stop Switch 急停按钮
HBDS1-BY-□TS(警示圈) Ø16mm Emergency Stop Switch 急停按钮
HBDS1-AGQ16F-□TS/U/R/▲/△/RESET Ø16mm Illuminated Emergency Stop Switch 带灯急停按钮



HBDS1-AGQ16F-□TS/U/R/▲/△ Ø16mm Illuminated Emergency Stop Switch 带灯急停按钮
HBDS1-AGQ16F-□TS/U/R/▲/△ Ø16mm Illuminated Emergency Stop Switch 带灯急停按钮
HBDS1-AGQ16F-□TS/U/R/▲/△ Ø16mm Illuminated Emergency Stop Switch 带灯急停按钮
HBDS1-AGQ16F-□TS/U/R/▲/△ Ø16mm Illuminated Emergency Stop Switch 带灯急停按钮

急停按钮
Emergency Stop Button

Ø19mm



HBDS1-AGQ19F-□TS/U/R/小头 Ø19mm Emergency Stop Switch 急停按钮
HBDS1-AGQ19F-□TS/U/R/STOP Ø19mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-AGQ19F-□TS/U/R/STOP Ø19mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-AGQ19F-□TS/U/R/STOP Ø19mm Emergency Stop Switch(STOP) 急停按钮(STOP)



HBDS1-AGQ19F-□TS/U/R/▲/△ Ø19mm Illuminated Emergency Stop Switch 带灯急停按钮
HBDS1-D19C-11TSC/U/S/▲/△ Ø19mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-D19C-11TSC/U/S/▲/△ Ø19mm Illuminated Emergency Stop Switch 带灯急停按钮
HBDS1-D19C-11TSC/U/S/▲/△ Ø19mm Illuminated Emergency Stop Switch 带灯急停按钮

急停按钮
Emergency Stop Button

Ø22mm、Ø25mm、Ø30mm



HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-APY-□TS Ø22mm Emergency Stop Switch(STOP) 急停按钮
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮



HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-D22C-11TSC/U/S/▲/△ Ø22mm Illuminated Emergency Stop Switch 带灯急停按钮
HBDS1-D22C-11TSC/U/S/▲/△ Ø22mm Illuminated Emergency Stop Switch 带灯急停按钮



HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm Emergency Stop Switch(STOP) 急停按钮(STOP)

急停按钮配保护罩展示

Emergency stop button with protective cover display

保护罩详情请参考N页
Refer to page N for details of the protective cover



HBDS1-AGQ16F-□TS/U/R/PC/H Ø16mm 配HBD-T12/1650保护罩
HBDS1-AGQ16F-□TS/U/R/PC/H Ø16mm 配HBD-T12/1650保护罩
HBDS1-AY-□TS Ø16mm 配HBD-T11/1630保护罩
HBDS1-AY-□TS Ø16mm 配HBD-T11/1630保护罩



HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈



HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈
HBDS1-AGQ22F-□TS/U/R/STOP Ø22mm 配HBD-T26/2240警告圈

橱柜炉灶按钮
Cabinet stove button

NEW

Ø22mm



HBDGQ-D22C-20ET 平圆环灯按钮
Flat Round Ring Illuminated Power Symbol Ø22mm
平圆环灯按钮带电源符号



HBDY5-KB-□D 高头带灯按钮
High head push button with LED 高头带灯



HBDY5-KB-□D 平头带灯按钮
Flat head push button with LED 平头带灯

电梯按钮
Elevator button

NEW

Ø22mm



HBDY5-KA-□H/U/V 白色箭头按钮
Flat head push button 平头按钮



HBDY5-KA-□W/U/V 黑色箭头按钮
Flat head push button 平头按钮



HBDY5-KA-□B/U/V 蓝色箭头按钮
Flat head push button 平头按钮



HBDY5-KA-□H/U/V 白色箭头按钮
Flat head push button 平头按钮



HBDY5-KA-□W/U/V 黑色箭头按钮
Flat head push button 平头按钮



HBDY5-KA-□B/U/V 蓝色箭头按钮
Flat head push button 平头按钮

系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	带灯类型 Lamp Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDGQ	6:Ø6mm 8:Ø8mm 10:Ø10mm 12:Ø12mm 14:Ø14mm 16:Ø16mm 19:Ø19mm 22:Ø22mm 25:Ø25mm 30:Ø30mm	T:平面形 G:球形 F:平面形 DT:大平面形 DG:大球形	D:单点灯 E:环形灯 P:塑料盖 SP:喷漆塑料盖	J:接线插片 L:接线柱 Y:引线	N:黄铜镀镍 S:不锈钢 T:铝合金 防呆定制: 1:单边防呆 2:双边防呆	无字母: 外亮本色 S:红色 R:绿色 G:黄色 Y:蓝色 B:白色 W:黑色	3V 6V 12V 24V 36V 110V 220V 其他电压等 级可定制	红色 绿色 黄色 蓝色 白色 *最多可定制 三色灯* + :共正极 - :共负极

HBDGQ系列高强度抗破坏金属信号灯

HBDGQ Series High-Intensity Resistance and Anti-vandal Waterproof Signal Lamp

可定制: 铝合金材质镀色(价格与不锈钢一样)可做双色灯(加3元), 防水等级IP67
Customization: Aluminum alloy with color plating (same price as stainless steel)
Can be made into a bi-color light
Waterproof degree IP67



HBDGQ6-D/J/U/V/A/Δ
Signal Lamp 信号灯



HBDGQ6-T-D/J/U/V/A/Δ
Signal Lamp 信号灯

HBDGQ8-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ8-T-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ8-F-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ10G-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ10T-D/J/U/V/A/Δ Signal Lamp 信号灯
HBDGQ12G-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ12T-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ12F-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ12F-E/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ14G-D/J/U/V/A/Δ Signal Lamp 信号灯
HBDGQ14T-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16G-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16DT-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16G-D/L/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16DT-D/L/U/V/A/Δ Signal Lamp 信号灯
HBDGQ16F-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16F-E/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16G-D/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16F-E/J/U/V/A/Δ Signal Lamp 信号灯	HBDGQ16G-D/J/U/V/A/Δ Signal Lamp 信号灯



HBDGQ系列

高强度抗破坏
金属信号灯(带引线)

可定制:
铝合金材质镀色(价格与不锈钢
一样)可做双色灯(加3元),防水
等级IP67

HBDGQ Series

High-intensity Resistance and
Anti-vandal Waterproof Signal
Lamp (with wires)

Customization:
Aluminum alloy with color plating
(same price as stainless steel)
Can be made into a bi-color light
Waterproof degree IP67

HBDGQ6G-D/Y/□/△/▲ Ø6mm Signal Lamp 信号灯

HBDGQ6T-D/Y/□/△/▲ Ø6mm Signal Lamp 信号灯

HBDGQ8G-D/Y/□/△/▲ Ø8mm Signal Lamp 信号灯


HBDGQ8T-D/Y/□/△/▲ Ø8mm Signal Lamp 信号灯

HBDGQ10G-D/Y/□/△/▲ Ø10mm Signal Lamp 信号灯

HBDGQ10T-D/Y/□/△/▲ Ø10mm Signal Lamp 信号灯

HBDGQ12G-D/Y/□/△/▲ Ø12mm Signal Lamp 信号灯

HBDGQ12T-D/Y/□/△/▲ Ø12mm Signal Lamp 信号灯



HBDGQ								
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	带灯类型 Lamp Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDGQ	19:Ø19mm 22:Ø22mm	F:平圆形 G:球形	M:蜂鸣 EM:带灯蜂鸣 EJM:闪光间断蜂鸣	J:接线插片 L:接线柱	N:黄铜镀锌 S:不锈钢 防呆定制: 无:无防呆 1:单边防呆 2:双边防呆	无字母: 外壳本色 红色 绿色 黄色 橙色 蓝色 黑色	3V 6V 12V 24V 36V 110V 220V 其他电压等 级可定做	红色 绿色 黄色 橙色 蓝色 白色
N: Nickel-plated brass S: Stainless steel Anti-vandal customization: No letters: No anti-vandal customization 1: Single anti-vandal 2: Both sides anti-vandal No letters: Shell natural color Red Green Yellow Orange Blue Black Other voltages can be customized M: Buzzer EM: Flash Buzzer EJM: Flash intermittent Buzzer J: Pin Terminal L: Screw Terminal Red Green Yellow Orange Blue White								

HBDGQ 金属蜂鸣器系列

Metal Buzzer/Flashing buzzer Series

Ø19mm、Ø22mm



系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDS1-D	16:Ø16mm 19:Ø19mm 22:Ø22mm	C:凹平圆形 F:平圆形	10: 1NO 11: 1NO 1NC	无:无灯 D:单点灯 E:环形灯 ET:环形电源符号灯 P:塑料盖 SP:喷漆塑料盖	无:复位式按钮 Z:自锁式按钮	J: 接线插片	S: 不锈钢 PC: 工程塑料 定制防呆: 无: 无防呆 1: 单边防呆 2: 双边防呆 PC可选: SW: 银白色	无字母: 外壳本色 ■ 红色 ■ 绿色 ■ 黄色 ■ 橙色 ■ 蓝色 ■ 白色 ■ 定制色 SK: 定制色 PC可选: SW: 银白色	6~48V 220V 其他电压等级可定做	■ 红色 ■ 绿色 ■ 黄色 ■ 橙色 ■ 蓝色 ■ 白色
				No letters: Without LED D: Dot LED E: Ring LED ET: Ring and power symbol LED P: Plastic Cover SP: Painted Plastic Cover	No letters: Momentary Z: Latching	J: Pin Terminal	S: Stainless steel PC: Engineering plastic Anti-rotation customization: No letters: No anti-rotation 1: Single anti-rotation 2: Both side anti-rotation	No letters: Shell natural color Red Green Yellow Orange Blue Black SK: Customized Color SW: Silver white	Other voltages can be customized	Red Green Yellow Orange Blue White

HBDS1-D系列
10A大电流金属按钮开关
High Current Metal Push Button Switch

三色灯 6V~48V(红、绿、蓝)
单色灯 220V
Tri-color LED 6V~48V(Red/Green/Blue)
Single-color LED 220V

NEW



系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDGQ-D	16:Ø16mm 19:Ø19mm 22:Ø22mm 25:Ø25mm 30:Ø30mm	C:凹平圆形	10: 1NO 20: 2NO	无:无灯 D:单点灯 E:环形灯 ET:环形电源符号 P:塑料盖 SP:喷漆塑料盖	无:复位式按钮 Z:自锁式按钮	Y: 引线	S:不锈钢 定制防呆: 无:无防呆 1:单边防呆 2:双边防呆	无字母: 外壳本色 R 红色 G 绿色 Y 黄色 O 橙色 B 蓝色 W 白色 BK 黑色	6V 12V~24V 110V 220V 其他电压等级可定做	 红色  绿色  黄色  橙色  蓝色  白色
				No letters: Without LED D: Dot LED E: Ring LED ET: Ring and power symbol LED P: Plastic Cover SP: Painted Plastic Cover			S: Stainless steel Anti-rotation customization: No letters: No anti-rotation 1: Single anti-rotation 2: Both side anti-rotation	No letters: Shell natural color Red Green Yellow Orange Blue Black	Other voltages can be customized	 Red  Green  Yellow  Orange  Blue  White

D22 10A大电流

SERIES METAL BUTTON
金属按钮系列

全身防水
防水等级IP67
Full body waterproof
Waterproof degree: IP67

NEW



HBDGQ ☆ ○ □ ☆ ◇ / ◇ / ○ / ★ / ▲ / △										
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	操作行程 Operation Stroke	带灯类型 Lamp Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDGQ	12: Ø12mm 16: Ø16mm 19: Ø19mm 22: Ø22mm 25: Ø25mm 30: Ø30mm 35: Ø35mm	F: 平圆形 H: 高平圆形 C: 凹面圆形 P: 超平面形	10: 1NO 11: 1NO1NC	W: 超短行程	无: 无灯 E: 环形灯 ET: 环形电源符号灯	J: 接线插片 L: 接线柱 P: 排线 Y: 引线	N: 黄铜镀镍 S: 不锈钢 T: 铝合金 防呆定制: 无: 无防呆 1: 单边防呆 2: 双边防呆	无字母: 外壳本色 R: 红色 G: 绿色 Y: 黄色 B: 蓝色 W: 白色 其他电压等级可定做	3V 6V 12V 24V 36V 110V 220V 其他电压等级可定做	红色 绿色 黄色 蓝色 白色 其他电压等级可定做 + 共正极 - 共负极
F: Flat round head H: High flat round head C: Concave head P: Protruding head No letters: Without LED E: Ring LED ET: Ring and power symbol LED J: Pin Terminal L: Screw Terminal P: With wires (Terminal wires) Y: With wires N: Nickel-plated brass S: Stainless steel T: Aluminum alloy Anti-rotation customization: None: No anti-rotation customization 1: Single anti-rotation 2: Both side anti-rotation No letters: Shell natural color R: Red G: Green Y: Yellow B: Blue W: White Customization up to four color light + Common anode - Common cathode Real Green Yellow Orange Blue White Customization up to four color light + Common anode - Common cathode										

HBDGQ 金属轻触开关(超薄型)

Metal micro switch(Ultra-thin)

可做多色灯

Can be made into multi-color lamps
Single lights
Tri-color lights
Four-color lights

HBDGQ12SF-10W/J/S Flat Round 平圆形	HBDGQ12SH-10W/J/S High Round 高平圆形	HBDGQ12SF-10WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯
HBDGQ16SF-10W/J/S Flat Round 平圆形	HBDGQ16SF-10WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ16SF-10WET/J/S/▲/△ Flat Round Ring Illuminated PowerSymbol 平圆形带电源符号
HBDGQ19SF-10W/J/S Flat Round 平圆形	HBDGQ19SF-10WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ19SF-10WET/J/S/▲/△ Flat Round Ring Illuminated PowerSymbol 平圆形带电源符号
HBDGQ22SF-10WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ25SF-10WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ30SF-10WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯
HBDGQ19F-11W/J/S Flat Round 平圆形	HBDGQ19F-11WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ22F-10WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯
HBDGQ19F-11WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ19F-11WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ19F-11WE/J/S/▲/△ Flat Round Ring Illuminated 平圆形带灯
HBDGQ19F-10W/P/S Flat Round 平圆形	HBDGQ19F-10WE/P/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ19F-10WE/P/S/▲/△ Flat Round Ring Illuminated 平圆形带灯

HBDGQ22F-10WE/P/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ22PF-10WE/P/S/▲/△ Flat Round Ring Illuminated 超平圆形带灯	HBDGQ16F-10WE/Y/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ19F-10WE/Y/S/▲/△ Flat Round Ring Illuminated 平圆形带灯	HBDGQ22F-10WE/Y/S/▲/△ Flat Round Ring Illuminated 平圆形带灯
HBDGQ35F-10WE/P/▲/△/○ Flat Round Ring Illuminated 平圆形带灯	HBDGQ35SF-10WE/P/▲/△/○(SOS) Flat Round Ring Illuminated 平圆形带灯	HBDGQ35SF-10WE/P/▲/△/○(求助) Flat Round Ring Illuminated 平圆形带灯		

HBDGQ ☆ ○ □ ☆ ◇ / K / ■ ◇ / ○ / ★ / ▲ / △											
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	开关类型 Switch Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDGQ	10:Ø10mm 12:Ø12mm 16:Ø16mm 19:Ø19mm	F:平圆形 H:高平圆形 B:球形	11:1NO1NC	无:无灯 E:环形灯 ET:环形电源符号	K:电子开关	无:复位式按钮 Z:自锁式按钮	J:接线插片	N:黄铜镀镍 S:不锈钢 T:铝合金 防呆定制: 无:无防呆 1:单边防呆 2:双边防呆	无字母: 外壳本色 R:红色 G:绿色 Y:黄色 B:蓝色 W:白色 其他电压等级可定做	3V 6V 12V 24V 36V 110V 220V 其他电压等级可定做	 红色  绿色  黄色  橙色  蓝色  白色
No letters: Without LED E: Ring LED ET: Ring and power symbol LED K: Electronic switch No letters: Momentary Z: Latching J: Pin Terminal N: Nickel-plated brass S: Stainless steel T: Aluminum alloy Anti-rotation customization: None: No anti-rotation 1: Single anti-rotation 2: Both side anti-rotation No letters: Shell natural color R: Red G: Green Y: Yellow B: Blue W: White Customization up to four color light + Common anode - Common cathode											

HBDGQ METAL ELECTRONIC SWITCH

金属电子开关

HBDGQ10F-11 Flat Round 平圆形	HBDGQ10H-11 High Round 高平圆形	HBDGQ12F-11 Flat Round 平圆形
HBDGQ12H-11 High Round 高平圆形	HBDGQ12B-11 Domed 球形按钮	HBDGQ16H-11 High Round 高平圆形
HBDGQ16F-11 Flat Round 平圆形	HBDGQ16F-11 Flat Round 平圆形	HBDGQ16F-11 Flat Round 平圆形
HBDGQ16F-11 Flat Round 平圆形	HBDGQ16F-11 Flat Round 平圆形	HBDGQ16F-11 Flat Round 平圆形

HBDPS ☆ ○ - □ ◇ ■ / ◆ / ◎ / ★ / ▲ / △											
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color	产品编码 Product code
HBDTS HBDTS	16:Ø16mm 19:Ø19mm 22:Ø22mm	P:超平面形 C:凹平面形	10: 1NO	无:无灯 E:环形灯	无:复位式按钮 Z:自锁式按钮	Y: 引线	S:不锈钢 定制防呆: 无:无防呆 1:单边防呆 2:双边防呆	无字母: 外壳本色 ■ 红色 ■ 绿色 ■ 黄色 ■ 蓝色 ■ 白色 ■ 黑色	24V 6V~24V 9V~24V 其他电压等 级可定制	■ 红绿双色 其他颜色可定制	204
S: Stainless steel No letters: Shell natural color Red: Red Green: Green Yellow: Yellow Blue: Blue White: White Black: Black Anti-rotation customization: No anti-rotation: No anti-rotation 1: Single anti-rotation 2: Both side anti-rotation Y: With wires No letters: Momentary Z: Latching No Nickel-plated brass C: Chrome-plated brass S: Stainless steel A: 2pin alloy T: 4pin alloy PA: Nylon Anti-rotation customization: No anti-rotation: No anti-rotation 1: Single anti-rotation 2: Both side anti-rotation F: Flat head C: Concave head B: Dome head M: Mushroom head PF: Hyperplane No letters: Without LED D: Dot LED E: Ring LED DT: Dot LED with Power symbol ET: Ring LED with Power symbol No letters: Momentary Z: Latching 2: Pin terminal E: Screw terminal Other voltages can be customized Red Green Dual Color can be customized											

HBDPS系列金属压电开关

HBPS Series Metal Piezoelectric Switch
Ø16mm Ø19mm、Ø22mm

NEW

HBDPS16P-10E ■ Y/S/6-24V/RG/204 Hyperplane Ring Illuminated 超平面环形带灯 Ø16mm	HBDPS16C-10Y/S/204 Concave 凹平面形 Ø16mm	HBDPS19P-10E ■ Y/S/6-24V/RG/204 Hyperplane Ring Illuminated 超平面环形带灯 Ø19mm	HBDPS19C-10E ■ Y/S/6-24V/RG/204 Concave Ring Illuminated 凹平面环形带灯 Ø19mm	HBDPS19C-10 ■ Y/S Concave 凹平面形 Ø19mm
HBDPS22P-10E ■ Y/S/6-24V/RG/204 Hyperplane Ring Illuminated 超平面环形带灯 Ø22mm	HBDPS22C-10E ■ Y/S/6-24V/RG/204 Concave Ring Illuminated 凹平面环形带灯 Ø22mm	HBDPS22C-10 ■ Y/S/204 Concave 凹平面形 Ø22mm		
触摸开关 HBD-TS Series Metal touch switch NEW Ø16mm、Ø19mm、Ø22mm				
HBDTS16P-10E ■ Y/S/9-24V/RG/204 Hyperplane Ring Illuminated 超平面环形带灯 Ø16mm	HBDTS19C-10E ■ Y/S/24V/RG/204 Concave Ring Illuminated 凹平面环形带灯 Ø19mm	HBDTS22C-10E ■ Y/S/24V/GR/204 Concave Ring Illuminated 凹平面环形带灯 Ø22mm		


HBDGQ ☆ ○ - □ ◇ ■ ◆ / ◎ / ★ / ▲ / △											
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color	
HBDGQ	12:Ø12mm 16:Ø16mm 19:Ø19mm 22:Ø22mm 25:Ø25mm	F:平面形 H:高平面形 B:球形 M:蘑菇形 PF:超平面形	10: 1NO 01: 1NC	无:无灯 D:单点灯 E:环形灯 DT:电源符号灯 ET:环形电源符号灯	无:复位式按钮 Z:自锁式按钮	J: 接线插片 L: 接线柱	N:黄铜镀镍 C:黄铜镀铬 S:不锈钢 A:铝合金 T:铝合金 PA:尼龙 定制防呆: 无:无防呆 1:单边防呆 2:双边防呆	无字母: 外壳本色 ■ 红色 ■ 绿色 ■ 黄色 ■ 蓝色 ■ 白色 ■ 黑色	3V 6V 12V 24V 36V 110V 220V 其他电压等 级可定制	■ 红色 ■ 绿色 ■ 黄色 ■ 蓝色 ■ 白色	
No Nickel-plated brass C: Chrome-plated brass S: Stainless steel A: 2pin alloy T: 4pin alloy PA: Nylon Anti-rotation customization: No anti-rotation: No anti-rotation 1: Single anti-rotation 2: Both side anti-rotation F: Flat head H: High plane head B: Dome head M: Mushroom head PF: Hyperplane No letters: Without LED D: Dot LED E: Ring LED DT: Dot LED with Power symbol ET: Ring LED with Power symbol No letters: Momentary Z: Latching J: Pin terminal L: Screw terminal Other voltages can be customized											

HBDGQ系列高强度抗破坏金属按钮开关

HBDGQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch

可定制: 铝合金材质镀色
(价格与不锈钢一样)
防水等级IP65
Customization: Color-plated aluminum alloy
Same price as stainless steel
Waterproof degree IP65

HBDGQ12H-10E/J/○/▲/△ Ø12mm High Round Ring Illuminated 高平面环形带灯	HBDGQ12F-10DT/J/○/▲/△ Ø12mm Flat Round Ring Illuminated PowerSymbol 平面环形带灯电源符号	HBDGQ12F-10Z/J/○ Ø12mm Flat Round 平面形	HBDGQ12H-10Z/J/○ Ø12mm High Round 高平面形	HBDGQ12F-10EZ/J/○/▲/△ Ø12mm Flat Round Ring Illuminated 平面环形带灯
HBDGQ12H-10EZ/J/○/▲/△ Ø12mm High Round Ring Illuminated 高平面环形带灯	HBDGQ12F-10DTZ/J/○/▲/△ Ø12mm Flat Round Ring Illuminated PowerSymbol 平面环形带灯电源符号	HBDGQ12B-10/J/▲/△UV定制 Ø12mm Dome 球形	HBDGQ12B-10/J/▲/△ Ø12mm Dome 球形	HBDGQ12B-10/L/▲/△ Ø12mm Dome 球形
HBDGQ12B-10/J/○ Ø12mm Dome 球形	HBDGQ12B-10/L/○ Ø12mm Dome 球形	HBDGQ12B-10D/J/▲/△ Ø12mm Dome Dot Illuminated 球形单点带灯	HBDGQ12B-10/J/PA/△/204 Ø12mm Dome 球形	HBDGQ12B-10/Y/PA/△/204 Ø12mm Dome 球形
HBDGQ12B-10 ■ J/PA/△ Ø12mm Dome 球形(尼龙)	HBDGQ12B-10D ■ J/PA/▲/△ Ø12mm Dome Dot Illuminated 球形单点带灯(尼龙)	HBDGQ12S-10/J/▲/△ Ø12mm Square 方形	HBDGQ12S-10/L/▲/△ Ø12mm Square 方形	HBDGQ12B-10B-10/J/T/△ Ø16mm Dome 球形

				
HBDGQ12/16B-10/L/T/Δ Domed 球形按钮	HBDGQ16F-10/J/○ Flat Round 平面按钮	HBDGQ16F-10/L/○ Flat Round 平面按钮	HBDGQ16B-10/J/○ Domed 球形按钮	HBDGQ16B-10/L/○ Domed 球形按钮
				
HBDGQ16B-10/J/PA/Δ Domed 球形按钮(尼龙)	HBDGQ16H-10/J/○ High Round 高平面按钮	HBDGQ16H-10/L/○ High Round 高平面按钮	HBDGQ16M-10/T/Δ Mushroom Pushbutton Switch 蘑菇按钮	HBDGQ16M-10/L/T/Δ Mushroom Pushbutton Switch 蘑菇按钮
				
HBDGQ16F-10/J/○/▲/△ Flat Round Dot Illuminated 平面圆形单点带灯	HBDGQ16F-10E/J/○/▲/△ Flat Round Ring Illuminated 平面圆形环带灯	HBDGQ16H-10E/J/○/▲/△ High Round Ring Illuminated 高平面圆形环带灯	HBDGQ16F-10ET/J/○/▲/△ Flat Round Ring Illuminated PowerSymbol 平面圆形带电源符号	HBDGQ16M-10D/J/T/▲/△ Dot-Illumination Mushroom Pushbutton Switch 单点带灯蘑菇按钮
				
HBDGQ16F-10E/L/○/▲/△ Flat Round Ring Illuminated 平面圆形环带灯	HBDGQ16H-10E/L/○/▲/△ High Round Ring Illuminated 高平面圆形环带灯	HBDGQ16F-10ET/L/○/▲/△ Flat Round Ring Illuminated PowerSymbol 平面圆形带电源符号	HBDGQ16F-10Z/J/○ Flat Round 平面按钮	HBDGQ16B-10Z/J/○ Domed 球形按钮
				
HBDGQ16H-10Z/J/○ High Round 高平面按钮	HBDGQ16F-10EZ/J/○/▲/△ Flat Round Ring Illuminated 平面圆形环带灯	HBDGQ16F-10DZ/J/○/▲/△ Flat Round Dot Illuminated 平面圆形单点带灯	HBDGQ16F-10DTZ/J/○/▲/△ Flat Round Dot Illuminated 平面圆形单点带灯	HBDGQ16F-10EZ/L/○/▲/△ Flat Round Ring Illuminated 平面圆形环带灯
				
HBDGQ19F-10/J/○ Flat Round 平面按钮	HBDGQ19F-10/L/○ Flat Round 平面按钮	HBDGQ19B-10/J/S Domed 球形按钮	HBDGQ19B-10/J/○ Domed 球形按钮	HBDGQ19B-10/L/○ Domed 球形按钮
				
HBDGQ19H-10Z/J/○ High Round 高平面按钮	HBDGQ19H-10/J/○ High Round 高平面按钮	HBDGQ19H-10/L/○ High Round 高平面按钮	HBDGQ19M-10/J/T/Δ Mushroom Pushbutton Switch 蘑菇按钮	HBDGQ19M-10/L/T/Δ Mushroom Pushbutton Switch 蘑菇按钮

				
HBDGQ19F-□TSA/J/S/R Emergency Stop Switch 急停按钮	HBDGQ19F-10E/J/○/▲/△ Flat Round Ring Illuminated 平面圆形环带灯	HBDGQ19F-10E/L/○/▲/△ Hyperplane Ring Illuminated 超平面圆形环带灯	HBDGQ19H-10E/J/○/▲/△ High Round Ring Illuminated 高平面圆形环带灯	HBDGQ19F-10ET/J/○/▲/△ Flat Round Ring Illuminated PowerSymbol 平面圆形带电源符号
				
HBDGQ19F-10E/L/○/▲/△ Flat Round Ring Illuminated 平面圆形环带灯	HBDGQ19H-10E/L/○/▲/△ High Round Ring Illuminated 高平面圆形环带灯	HBDGQ19F-10ET/L/○/▲/△ Flat Round Ring Illuminated PowerSymbol 平面圆形带电源符号	HBDGQ19F-10DTZ/J/○/▲/△ Flat Round Dot Illuminated 平面圆形单点带灯	HBDGQ19F-10DZ/J/○/▲/△ Flat Round Dot Illuminated 平面圆形单点带灯
				
HBDGQ22F-10/J/○ Flat Round 平面按钮	HBDGQ22B-10/L/○ Domed 球形按钮	HBDGQ22H-10/J/○ High Round 高平面按钮	HBDGQ22M-10/L/T/Δ Mushroom Pushbutton Switch 蘑菇按钮	HBDGQ22M-10/J/T/Δ Mushroom Pushbutton Switch 蘑菇按钮
				
HBDGQ22F-□TSA/J/S/R Emergency Stop Switch 急停按钮	HBDGQ25F-10/J/○ Flat Round 平面按钮	HBDGQ25F-10/L/○ Flat Round 平面按钮		

系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	操作位置 Operating Position	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDS1-AGQ	16: Ø16mm 19: Ø19mm 22: Ø22mm 25: Ø25mm 28: Ø28mm 30: Ø30mm 35: Ø35mm 40: Ø40mm	F: 平面形 H: 高平面形 PF: 超平面形	11: 1NO1NC 22: 2NO2NC	无: 无灯无定制 D: 单点灯 DT: 电源符号灯 E: 环形灯 ET: 环形电源符号灯 DC: 透光定制符号 EC: 环形灯+透光定制符号 P: 塑料盖 SP: 喷漆塑料盖	无: 无复位按钮 Z: 自锁式按钮 X: 选择按钮 XD: 选择按钮带灯 Y: 钥匙按钮 TS: 急停按钮 No letters: Without LED D: Dot LED DT: Power symbol LED E: Ring LED ET: Ring and power symbol LED DC: Translucent Customized Symbol EC: Ring LED with Translucent Customized Symbol P: Plastic Cover SP: Painted Plastic Cover	选择按钮及钥匙按钮的操作位置 21: 二位保持式 31: 三位保持式	J: 接线插片	外壳材料: N: 黄铜镀镍 S: 不锈钢 T: 铝合金 PC: 工程塑料 定制防呆: 1: 单边防呆 2: 双边防呆	无字母: 外亮本色 R: 红色 G: 绿色 Y: 黄色 B: 蓝色 W: 白色 K: 黑色	3V 6V 12V 24V 36V 110V 220V 其他电压等级可定制	红色 绿色 黄色 蓝色 白色 *最多可定制三色灯* + 共正极 - 共负极

HBDS1-AGQ系列高强度抗破坏金属按钮开关

HBDS1-AGQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch

Φ16mm、Φ19mm、Φ22mm、Φ25mm、Φ30mm

可定制: 铝合金材质颜色(价格与不锈钢一样)
可做双色灯(加3元)、三色灯(加5元)
防水等级IP67

Customization: Color (aluminum alloy same price as stainless steel)
Can be made into a bi-color light, Can be made into a tri-color light
Waterproof degree IP67



HBDS1-AGQ16F-□J/○/▲/△
Flat Round 平面按钮



HBDS1-AGQ16F-□DCJ/○/▲/△
Flat Round Custom Pattern 平面定制图案按钮




											
HBDS1-GQ35F-□E■/J/△/△ Ø35mm Flat Round Ring Illuminated 平圆形带灯											
HBDS1GQ ☆ ○ - □ ◇ ▣ / ◆ / ◎ / ★ / ▲ / ▴											
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color	
HBDS1GQ	19: Ø19mm 22: Ø22mm 25: Ø25mm 30: Ø30mm	F: 平圆形 H: 高平圆形	11: 1NO1NC	无: 无灯 D: 单点灯 E: 环形灯 ET: 环形电源符号灯	无: 复位式按钮 Z: 自锁式按钮	J: 接线插片 L: 接线柱	N: 黄铜镀锌 S: 不锈钢 T: 锌铝合金	无字母: 外壳本色 R: 红色 G: 绿色 Y: 黄色 O: 橙色 B: 蓝色 W: 白色 ■ 黑色	6V 12V 24V 36V 110V 220V 其他电压等级可定做	■ 红色 ■ 绿色 ■ 黄色 ■ 橙色 ■ 蓝色 ■ 白色	
No letters: Without LED D: Dot LED E: Ring LED ET: Ring LED with Power Symbol							No letters: Momentary Z: Latching			No letters: Shell natural color Red Green Yellow Orange Blue Black	
Anti-rotation customization: No letters: No anti-rotation 1: Single anti-rotation 2: Both side anti-rotation							No letters: Shell natural color Red Green Yellow Orange Blue Black			Red Green Yellow Orange Blue White	

HBDS1GQ系列高强度抗破坏金属按钮开关
HBDS1GQ Series High-Intensity Resistance and Anti-vandal Waterproof Push Button Switch

可定制: 铝合金材质镀色(价格与不锈钢一样) 防水等级IP67
Customization: Color-plated aluminum alloy (Same price as stainless steel)
Waterproof degree IP67

				
HBDS1GQ19F-11D■/L/S/▲/△ Ø19mm Flat Round Dot Illuminated 平圆形单点带灯	HBDS1GQ19F-11E■/J/S/▲/△ Ø19mm Flat Round Ring Illuminated 平圆形带灯	HBDS1GQ19F-11E■/L/S/▲/△ Ø19mm Flat Round Ring Illuminated 平圆形带灯	HBDS1GQ19H-11E■/J/S/▲/△ Ø19mm High Round Ring Illuminated 高平圆形带灯	HBDS1GQ19H-11E■/L/S/▲/△ Ø19mm High Round Ring Illuminated 高平圆形带灯
				
HBDS1GQ19F-11ET■/L/S/▲/△ Ø19mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号	HBDS1GQ19F-11ET■/L/S/▲/△ Ø19mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号	HBDS1GQ22F-11■/J/S/ Ø22mm Flat Round 平圆形	HBDS1GQ22F-11■/L/S/ Ø22mm Flat Round 平圆形	HBDS1GQ22F-11E■/L/S/▲/△ Ø22mm High Round Ring Illuminated 高平圆形带灯
				
HBDS1GQ22F-11E■/L/S/▲/△ Ø22mm High Round Ring Illuminated 高平圆形带灯	HBDS1GQ22H-11E■/J/S/▲/△ Ø22mm High Round Ring Illuminated 高平圆形带灯	HBDS1GQ22H-11E■/L/S/▲/△ Ø22mm High Round Ring Illuminated 高平圆形带灯	HBDS1GQ22F-11ET■/L/S/▲/△ Ø22mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号	HBDS1GQ22F-11ET■/L/S/▲/△ Ø22mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号

				
HBDS1GQ25F-11■/L/S/ Ø25mm Flat Round 平圆形	HBDS1GQ25F-11E■/L/S/▲/△ Ø25mm High Round Ring Illuminated 高平圆形带灯	HBDS1GQ25F-11ET■/L/S/▲/△ Ø25mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号	HBDS1GQ30F-11■/L/S/ Ø30mm Flat Round 平圆形	HBDS1GQ30F-11E■/L/S/▲/△ Ø30mm High Round Ring Illuminated 高平圆形带灯
				
HBDS1GQ30F-11ET■/L/S/▲/△ Ø30mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号				

HBDS1-BGQ ☆ ○ - □ ◇ ▣ / ◆ / ◎ / ★ / ▲ / ▴										
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDS1-BGQ	19: Ø19mm 22: Ø22mm	F: 平圆形	11: 1NO 1NC 22: 2NO 2NC 33: 3NO 3NC	无: 无灯 D: 单点灯 E: 环形灯 ET: 环形电源符号灯	无: 复位按钮 Z: 自锁式按钮	J: 接线插片	N: 黄铜镀锌 S: 不锈钢 定制防呆: 1: 单边防呆 2: 双边防呆	无字母: 外壳本色 R: 红色 G: 绿色 Y: 黄色 O: 橙色 B: 蓝色 W: 白色 ■ 黑色	6V 12V 24V 36V 110V 220V 其他电压等级可定做	■ 红色 ■ 绿色 ■ 黄色 ■ 橙色 ■ 蓝色 ■ 白色
No letters: Without LED D: Dot LED E: Ring LED ET: Ring LED with Power Symbol							No letters: Shell natural color Red Green Yellow Orange Blue Black		Other voltages can be customized	
2: Pin terminal									Red Green Yellow Orange Blue White	

HBDS1-BGQ系列高强度抗破坏防水金属按钮开关
HBDS1-BGQ Series High-Intensity Resistance and Anti-vandal Waterproof Push Button Switch

可定制: 铝合金材质镀色(价格与不锈钢一样) Customization: Color-plated aluminum alloy (Same price as stainless steel)


				
HBDS1-BGQ19F-11■/J/○ Ø19mm Flat Round平圆形				
				
HBDS1-BGQ19F-11D■/J/○/▲/△ Ø19mm Flat Round Dot Illuminated 平圆形单点带灯	HBDS1-BGQ19F-11E■/J/○/▲/△ Ø19mm Flat Round Ring Illuminated 平圆形带灯	HBDS1-BGQ19F-11ET■/J/○/▲/△ Ø19mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号	HBDS1-BGQ22F-11■/J/○ Ø22mm Flat Round平圆形	HBDS1-BGQ22F-11D■/J/○/▲/△ Ø22mm Flat Round Dot Illuminated 平圆形单点带灯
				
HBDS1-BGQ22F-11E■/J/○/▲/△ Ø22mm Flat Round Ring Illuminated 平圆形带灯	HBDS1-BGQ22F-11ET■/J/○/▲/△ Ø22mm Flat Round Ring Illuminated PowerSymbol 平圆形带灯电源符号			

HBDGQ										
☆ ○ - □ ◇ ■ / ◆ / ⦿ / ★ / ▲ / △										
系列号 Series Number	安装孔尺寸 Mounting Hole Size	头部形状 The Front Shape	开关组合 Configuration	带灯类型 Lamp Type	操作类型 Operation Type	接线类型 Terminal Type	外壳材料 Shell Material	外壳定制颜色 Shell Custom Color	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDGQ	22:Ø22mm 25:Ø25mm 28:Ø28mm 30:Ø30mm	F:平圆形	11: 1NO 1NC 22: 2NO 2NC	无:无灯 D:单点灯 E:环形灯 ET:环形电源符号灯	无:复位式按钮 Z:自锁式按钮	J: 接线插片	N: 黄铜镀镍 S: 不锈钢 T: 压铸合金 PC:工程塑料 定制防呆: 无:无防呆 1:单边防呆 2:双边防呆	无字母: 外壳本色 R: 红色 G: 绿色 Y: 黄色 B: 蓝色 W: 白色 SW: 黑色 SK:定制色 PC可选: SW:银白色	3V 6V 12V 24V 36V 110V 220V 其他电压等级可定做	红色 绿色 黄色 蓝色 白色
No letters: Without LED D: Dot LED E: Ring LED ET: Ring LED with Power Symbol F: Flat head No letters: Momentary Z: Latching J: Pin terminal No letters: Flat head without LED D: Flat head with LED G: High head with LED F: Flat head with LED P: Ring LED M: Mushroom head without LED MD: Mushroom head with LED SP: Panel Push Cover No letters: Shell natural color Red Green Yellow Orange Blue Black SK: Customized Color PC: selectable SW: Silver white Anti-rattle customization: No letters: No anti-rattle customization 1: Single anti-rattle 2: Both side anti-rattle										

HBDGQ系列高强度抗破坏金属按钮开关

HBDGQ Series High-intensity Resistance and Anti-vandal Waterproof Push Button Switch
Ø22mm、Ø25mm、Ø28mm、Ø30mm

可定制: 铝合金材质镀色, 价格与不锈钢一样
Customization: Color-plated aluminum alloy (Same price as stainless steel)

 HBDGQ22F-11 J/S Flat Round 平圆形 Ø22mm	 HBDGQ22F-11D J/S/▲/△ Flat Round Dot Illuminated 平圆形单点带灯 Ø22mm	 HBDGQ22F-11E J/S/▲/△ Flat Round Ring Illuminated 平圆形环形带灯 Ø22mm	 HBDGQ22F-11ET J/S/▲/△ Flat Round Ring Illuminated PowerSymbol 平圆形环形带电源符号 Ø22mm	 HBDGQ22F-11 J/PC/H Flat Round 平圆形 Ø22mm
 HBDGQ22F-11E J/PC/H/▲/△ Flat Round Ring Illuminated 平圆形环形带灯 Ø22mm	 HBDGQ22F-11ET J/PC/H/▲/△ Flat Round Ring Illuminated PowerSymbol 平圆形环形带电源符号 Ø22mm	 HBDGQ22F-11P J/PC Flat Round Ring Illuminated 平圆形环形带灯 Ø22mm	 HBDGQ22F-11E J/PC/▲/△ Flat Round Ring Illuminated 平圆形环形带灯 Ø22mm	 HBDGQ22F-11ET J/PC/▲/△ Flat Round Ring Illuminated PowerSymbol 平圆形环形带电源符号 Ø22mm
 HBDGQ25F-11 J/S Flat Round 平圆形 Ø25mm	 HBDGQ25F-11D J/S/▲/△ Flat Round Dot Illuminated 平圆形单点带灯 Ø25mm	 HBDGQ25F-11E J/S/▲/△ Flat Round Ring Illuminated 平圆形环形带灯 Ø25mm	 HBDGQ25F-11ET J/S/▲/△ Flat Round Ring Illuminated PowerSymbol 平圆形环形带电源符号 Ø25mm	 HBDGQ28F-11 J/S Flat Round 平圆形 Ø28mm
 HBDGQ28F-11E J/S/▲/△ Flat Round Ring Illuminated 平圆形环形带灯 Ø28mm	 HBDGQ30F-11 J/S Flat Round 平圆形 Ø30mm	 HBDGQ30F-11D J/S/▲/△ Flat Round Dot Illuminated 平圆形单点带灯 Ø30mm	 HBDGQ30F-11E J/S/▲/△ Flat Round Ring Illuminated 平圆形环形带灯 Ø30mm	 HBDGQ30F-11ET J/S/▲/△ Flat Round Ring Illuminated PowerSymbol 平圆形环形带电源符号 Ø30mm

HBD-K								
系列号 Series Number	安装孔尺寸 Mounting Hole Size	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	操作位置 Operating Position	外壳材料 Shell Material	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBD-K	10A: Ø22mm 10B: Ø22mm 10S: Ø30mm 20A: Ø22mm 20B: Ø22mm 20S: Ø30mm	11: 1NO 1NC 22: 2NO 2NC	无: 平头无灯 D: 平头带灯 G: 高头无灯 GD: 高头带灯 F: 金属环形无灯 E: 金属环形带灯 M: 蘑菇头无灯 MD: 蘑菇头带灯 SP: 喷漆塑料盖	无: 复位按钮 Z: 自锁式按钮 X: 选择按钮 Y: 钥匙按钮 TS: 急停按钮	选择按钮及钥匙按钮的操作位置 2: 二位位置 3: 三位位置 选择按钮及钥匙按钮的动作类型 1: 保持式 3: 全自复式	C: 黄铜镀镍 S: 不锈钢	6V 12V 24V 110V 220V 其他电压等级可定制	红色 绿色 黄色 蓝色 白色 黑色
No letters: Flat head without LED D: Flat head with LED G: High head without LED GD: High head with LED F: Metal Ring without LED E: Ring LED M: Mushroom head without LED MD: Mushroom head with LED SP: Painted Plastic Cover No letters: Momentary Z: Latching X: Selector switch Y: Key switch TS: Emergency stop switch Operating position of the selector switch and key switch: 2: Two position 3: Three position Selector switch and key switch action type: 1: Momentary type 3: Right self-retain and left self-release C: Chromium-plated brass S: Stainless steel Other voltages can be customized Red Green Yellow Orange White Black								

HBD-K20A HBD-K20B

SERIES METAL BUTTON
防水按钮
Waterproof push button

首家独创
磁吹灭弧按钮



本系列产品
均配有接插件及线
This series of products are
equipped with connectors and wires

K20A 塑料头部 Plastic head			 HBD-K20A-□■/△ Flat head push button Ø22mm 平钮	 HBD-K20A-□D■/△ Flat head push button with LED Ø22mm 平钮带灯
 HBD-K20A-□G■/△ High head push button Ø22mm 高钮	 HBD-K20A-□GD■/△ High head push button with LED Ø22mm 高钮带灯	 HBD-K20A-□M■/△ Mushroom button Ø22mm 蘑菇钮	 HBD-K20A-□MD■/△ Mushroom button with LED Ø22mm 蘑菇钮带灯	 HBD-K20A-□MA■/△ Mushroom button (small head 35) Ø22mm 蘑菇钮(小头35)
 HBD-K20A-□MC■/△ Mushroom button (small head 35) Ø22mm 蘑菇钮(小头35)	 HBD-K20A-□X/◆/H Selector switch Ø22mm 选择钮	 HBD-K20A-□XB/◆/H Long handle selector switch Ø22mm 长柄选择钮	 HBD-K20A-□Y/◆/◆ Key switch Ø22mm 钥匙钮	 HBD-K20A-□TS/R Emergency stop switch (30) Ø22mm 急停钮(30)
 HBD-K20A-□TSC/R Emergency stop switch (60) Ø22mm 急停钮(60)	 HBD-K20A-□TS/R Emergency stop switch (40) Ø22mm 急停钮(40)	 HBD-K20A-□TSD/R Emergency stop switch (40) Ø22mm 急停钮(40)	 HBD-K20W-11S/RG Double-headed push button (平头+蘑菇头) Ø22mm	 HBD-K20W-11DS/RG/▲/△ Illuminated double-headed push button (平头+蘑菇头) Ø22mm

K20B
黄铜头部 Brass Head

				
HBD-K20B-□G■/□/△ High head push button Ø22mm 高钮	HBD-K20B-□GD■/□/△ High head push button with LED Ø22mm 高钮带灯	HBD-K20B-□F■/□/△ Flat head push button with ring light circle Ø22mm 平钮带环形圈	HBD-K20B-□E■/□/△ Flat head push button with ring LED Ø22mm 平钮带环形灯	HBD-K20B-□M■/□/△ Mushroom button Ø22mm 蘑菇钮
				
HBD-K20B-□MD■/□/△ Mushroom button with LED Ø22mm 蘑菇钮带灯	HBD-K20B-□X/◆/□/△ Selector switch Ø22mm 选择钮	HBD-K20B-□XB/◆/□/△ Long handle selector switch Ø22mm 长柄选择钮	HBD-K20B-□Y/◆/□/△ Key switch Ø22mm 钥匙钮	

K20S Ø30mm
黄铜镀烙头部 Chromeplated brass head

				
HBD-K20S-□G■/C/△ High head push button Ø30mm 高钮	HBD-K20S-□GD■/C/△ High head push button with LED Ø30mm 高钮带灯	HBD-K20S-□M■/C/△ Mushroom button Ø30mm 蘑菇钮	HBD-K20S-□MD■/C/△ Mushroom button with LED Ø30mm 蘑菇钮带灯	HBD-K20S-□X/◆/C/H Selector switch Ø30mm 选择钮
				
HBD-K20S-□Y/◆/C/H Key switch Ø30mm 钥匙钮	HBD-K20S-□E■/C/△ Flat head push button Ø30mm 平钮 (Can be customized with various symbols) (可定制各种符号)	HBD-K20S-□SP■/C/△ Flat head push button Ø30mm 平钮 (Can be customized with various symbols and text) (可定制各种符号和文字)	HBD-K20S-□SP■/C/△ Flat head push button with LED Ø30mm 平钮带灯 (Can be customized with various symbols) (可定制各种符号)	

K20B-Q
金属头部 Metal head

				
HBD-K20B-QE■/Q/△ Flat head push button with ring LED Ø22mm 平钮带环形灯	HBD-K20B-QG■/Q/△ High head push button Ø22mm 高钮	HBD-K20B-QGD■/Q/△ High head push button with LED Ø22mm 高钮带灯	HBD-K20B-QM■/Q/△ Mushroom button Ø22mm 蘑菇钮	HBD-K20B-QMD■/Q/△ Mushroom button with LED Ø22mm 蘑菇钮带灯
				
HBD-K20A-QTSA/Q/R Emergency stop switch(30) Ø22mm 急停钮(30)	HBD-K20A-QTSC/Q/R Emergency stop switch(60) Ø22mm 急停钮(60)	HBD-K20A-QTSD/Q/R Emergency stop switch(40) Ø22mm 急停钮(40)	HBD-K20A-QTSD/Q/R Emergency stop switch(40) Ø22mm 急停钮(40)	HBD-K20B-QX/◆/H Selector switch Ø22mm 选择钮
				
HBD-K20B-QXB/◆/H Long handle selector switch Ø22mm 长柄选择钮	HBD-K20B-QY/◆/H Key switch Ø22mm 钥匙钮			

荣耀系列

SIECON Glory Series



专利产品

Patented products

New upgrade

全面震撼升级 领驭未来

系列号 Series Number	安装孔尺寸 Mounting Hole Size	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	操作位置 Operating Position	外壳材料 Shell Material	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDY5	KA: Ø22mm KB: Ø22mm KS: Ø30mm	10: 1NO 01: 1NC 11: 1NO 1NC 22: 2NO 2NC 20: 2NO 02: 2NC	无: 平头无灯 D: 平头带灯 G: 高头无灯 GD: 高头带灯 F: 金属环形无灯 E: 金属环形带灯 M: 蘑菇头无灯 MD: 蘑菇头带灯 SP: 喷漆塑料盖	无: 复位按钮 Z: 自锁按钮 X: 选择按钮 Y: 钥匙按钮 TS: 急停按钮	选择按钮及钥匙按钮的操作位置 2: 二位置 3: 三位置 选择按钮及钥匙按钮的动作类型 1: 保持式 3: 全自复式	C: 黄铜镀铬 S: 不锈钢	6V 12V 24V 110V 220V 其他电压等级可定制	红色 绿色 黄色 蓝色 白色 黑色

●大和康隆系列，突破性创新设计，重定行业标准！
●HBDY-Y5系列，体积小，重量轻，长度短；每只按钮可安装最多8组开关元件。
●创新自锁设计，不增加整体长度，样式更美观实用。
●采用一体灯罩，45°侧面仰角倾斜，接线更加方便快捷。
●开关元件使用银触点设计，轻松通断10A大电流。
●创新安装方式，螺母固定面板、旋拧卡扣式底座、组合式触点模块安装更加方便快捷！
●产品拥有可靠的IP65防水等级（面罩前）。
●采用阻燃材料制作，拥有优异的耐高温性能。

HBDY5 (XB2/LAY5) 型系列按钮开关

HBDY5 (XB2/LAY5) Series Push Button Switch

φ22mm 瞬动型/慢动型

Transmit type/Slow-moving type

开关座1常开或1常闭触点(3.0元) 可定制各种符号

常规单触点

Switch make 1NO or 1NC contact/Customized conventional single contacts with various symbols

KA 系列

KB series Ø22mm

塑料头部

Plastic head



HBDY5-KA-□□/△ Ø22mm 平头按钮



HBDY5-KA-□□/△ Ø22mm 平头按钮带LED



HBDY5-KA-□□/△ Ø22mm 高头按钮



HBDY5-KA-□□/△ Ø22mm 高头按钮带LED



HBDY5-KA-□□/△ Ø22mm 蘑菇按钮



HBDY5-KA-□□/△ Ø22mm 蘑菇按钮带LED



HBDY5-KA-□□/△ Ø22mm 蘑菇按钮(小头 Ø35)



HBDY5-KA-□□/△ Ø22mm 蘑菇按钮(小头 Ø35)



HBDY5-KA-□□/△ Ø22mm 选择按钮



HBDY5-KA-□□/△ Ø22mm 长柄选择按钮



HBDY5-KA-□□/△ Ø22mm 钥匙按钮



HBDY5-KA-□□/△ Ø22mm 急停按钮



HBDY5-KA-□□/△ Ø22mm 急停按钮



HBDY5-KA-□□/△ Ø22mm 急停按钮



HBDY5-KA-□□/△ Ø22mm 急停按钮



HBDY5-KW-11S/RG Ø22mm 双头按钮(平头+平头)



HBDY5-KW-11S/RG/△ Ø22mm 带灯双头按钮(平头+平头)



HBDY5-KA-□□/△ Ø22mm 平头按钮



HBDY5-KA-□□/△ Ø22mm 平头按钮



HBDY5-KA-□□/△ Ø22mm 平头按钮

KW 系列

KW series Ø22mm

喷漆塑料头部

Painted plastic head



HBDY5-KW-□□/△ Ø22mm 平头按钮



HBDY5-KW-□□/△ Ø22mm 平头按钮带LED



HBDY5-KW-□□/△ Ø22mm 高头按钮



HBDY5-KW-□□/△ Ø22mm 高头按钮带LED



HBDY5-KW-□□/△ Ø22mm 蘑菇按钮



HBDY5-KW-□□/△ Ø22mm 蘑菇按钮带LED



HBDY5-KW-□□/△ Ø22mm 平头按钮



HBDY5-KW-□□/△ Ø22mm 平头按钮带LED



HBDY5-KW-□□/△ Ø22mm 选择按钮



HBDY5-KW-□□/△ Ø22mm 钥匙按钮

25 | www.sieconx.com

www.sieconx.com | 26

201系列
201 series Ø22mm
喷漆塑料头部
Painted plastic head



HBDY5-KW-□■/△/201 Ø22mm
Flat head push button 平钮



HBDY5-KW-□D■/△/201 Ø22mm
Flat head push button with LED 平钮带灯



HBDY5-KW-□G■/△/201 Ø22mm
High head push button 高钮



HBDY5-KW-□GD■/△/201 Ø22mm
High head push button with LED 高钮带灯



HBDY5-KW-□M■/△/201 Ø22mm
Mushroom button 蘑菇钮



HBDY5-KW-□MD■/△/201 Ø22mm
Mushroom button with LED 蘑菇钮带灯



HBDY5-KA-□TS/R/201 Ø22mm
Emergency stop switch 急停钮



HBDY5-KA-□TSD/R/201 Ø22mm
Emergency stop switch 急停钮



HBDY5-KA-□X/◆/H/201 Ø22mm
Selector switch 选择钮



HBDY5-KA-□XB/◆/H/201 Ø22mm
Long handle selector switch 长柄选择钮



HBDY5-KA-□Y/◆/H/201 Ø22mm
Key switch 钥匙钮

KB 系列
KB series Ø22mm
黄铜头部
Brass head



HBDY5-KB-□■/○/△ Ø22mm
Flat head push button 平钮



HBDY5-KB-□D■/○/△/△ Ø22mm
Flat head push button with LED 平钮带灯



HBDY5-KB-□G■/○/△ Ø22mm
High head push button 高钮



HBDY5-KB-□GD■/○/△/△ Ø22mm
High head push button with LED 高钮带灯



HBDY5-KB-□M■/○/△ Ø22mm
Mushroom button 蘑菇钮



HBDY5-KB-□MD■/○/△/△ Ø22mm
Mushroom button with LED 蘑菇钮带灯



HBDY5-KB-□F■/○/△ Ø22mm
Flat head push button with ring LED
(Various symbols can be customised) 平钮带环状灯



HBDY5-KB-□E■/○/△/△ Ø22mm
Flat head push button with ring LED
(Various symbols can be customised) 平钮带环状灯



HBDY5-KB-□X/◆/○/H Ø22mm
Selector switch 选择钮



HBDY5-KB-□XB/◆/○/H Ø22mm
Long handle selector switch 长柄选择钮



HBDY5-KB-□Y/◆/○/○ Ø22mm
Key switch 钥匙钮



HBDY5-KB-□D■/○/△/△/67 Ø22mm
Flat head push button with LED 平钮带灯

KS 系列
KS series Ø30mm
黄铜头部
Brass head



HBDY5-KS-□■/C/△ Ø30mm
Flat head push button 平钮



HBDY5-KS-□D■/C/△/△ Ø30mm
Flat head push button with LED 平钮带灯



HBDY5-KS-□G■/C/△ Ø30mm
High head push button 高钮



HBDY5-KS-□GD■/C/△/△ Ø30mm
High head push button with LED 高钮带灯



HBDY5-KS-□M■/C/△ Ø30mm
Mushroom button 蘑菇钮



HBDY5-KS-□MD■/C/△/△ Ø30mm
Mushroom button with LED 蘑菇钮带灯



HBDY5-KS-□E■/C/△/△ Ø30mm
Flat head push button with ring LED
(Various symbols can be customised) 平钮带环状灯



HBDY5-KS-□SP■/C/△ Ø30mm
Flat head push button
(Various symbols can be customised) 平钮



HBDY5-KS-□SP■/C/△/△ Ø30mm
Flat head push button with LED
(Various symbols can be customised) 平钮带灯



HBDY5-KS-□X/◆/C/H Ø30mm
Selector switch 选择钮



HBDY5-KS-□Y/◆/C/H Ø30mm
Key switch 钥匙钮

系列号 Series Number	安装孔尺寸 Mounting Hole Size	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	操作位置 Operating Position	外壳材料 Shell Material	带灯电压/DC LED Voltage	灯珠颜色 LED Color
HBDS0	KA:Ø22mm KB:Ø22mm KS:Ø30mm	10: 1NO 01: 1NC 11: 1NO 1NC 22: 2NO 2NC 20: 2NO 02: 2NC	无:平头无灯 D:平头带灯 G:高头无灯 GD:高头带灯 F:金属环形无灯 E:金属环形带灯 M:蘑菇头无灯 MD:蘑菇头带灯 SP:喷漆塑料盖	无:复位式按钮 Z:自锁式按钮 X:选择按钮 Y:钥匙按钮 TS:急停按钮	选择按钮及钥匙按钮的操作位置 2:二位位置 3:三位位置 选择按钮及钥匙按钮的动作类型 1:保持式 3:全自复式	C:黄铜镀铬 S:不锈钢	6V 12V 24V 110V 220V 其他电压等级可定制	■ 红色 ■ 绿色 ■ 黄色 ■ 橙色 ■ 蓝色 ■ 白色 ■ 黑色
			No letters: Flat head without LED D: Flat head head with LED G: High head without LED GD: High head with LED F: Metal Ring without LED E: Metal Ring with LED M: Mushroom head without LED MD: Mushroom head with LED SP: Painted Plastic Cover		No letters: Momentary Z: Latching X: Selector switch Y: Key type TS: Emergency stop switch With self-reset		Other voltages can be customized	
			Operating position of the selector switch and key switch: 2: Two position 3: Three position Selector switch and key switch action type: 1: Latching type 3: Right self-reset and left self-reset		C: Chrome-plated brass S: Stainless steel		Red Green Yellow Orange Blue White Black	

HBDS0(LA38)型系列按钮开关

HBDS0 (LA38) Series Push Button Switch

φ22mm 瞬动型/慢动型

Transient type/Slow-moving type

KA 系列 KA series 塑料头部 Plastic head						HBDS0-KA-□□/△ Flat head push button	Ø22mm 平钮
						HBDS0-KA-□D/△/△ Flat head push button with LED	Ø22mm 平钮带灯
						HBDS0-KA-□G/△ High head push button	Ø22mm 高钮
						HBDS0-KA-□GD/△/△ High head push button with LED	Ø22mm 高钮带灯
						HBDS0-KA-□M/△ Mushroom button	Ø22mm 蘑菇钮
						HBDS0-KA-□MD/△/△ Mushroom button with LED	Ø22mm 蘑菇钮带灯
						HBDS0-KA-□MA/△ Mushroom button (small head 35)	Ø22mm 蘑菇钮(小头35)
						HBDS0-KA-□MC/△/△ Mushroom button (small head 35) with LED	Ø22mm 蘑菇钮(小头35)带灯
						HBDS0-KA-□X/△/△ Selector switch	Ø22mm 选择钮
						HBDS0-KA-□XB/△/△ Long handle selector switch	Ø22mm 长柄选择钮
						HBDS0-KA-□Y/△/△ Key switch	Ø22mm 钥匙钮
						HBDS0-KA-□TS/R Emergency stop switch (30)	Ø22mm 急停按钮(30)
						HBDS0-KA-□TSC/R Emergency stop switch (60)	Ø22mm 急停按钮(60)
						HBDS0-KA-□TS/R Emergency stop switch (40)	Ø22mm 急停按钮(40)
						HBDS0-KA-□X/△/△ Double-headed pushbutton	Ø22mm 双头按钮(平头+平头)
						HBDS0-KA-□X/△/△ Illuminated Double-headed pushbutton	Ø22mm 带灯双头按钮(平头+平头)
						HBDS0-KA-□X/△/△ Flat head push button	Ø22mm 平钮
						HBDS0-KA-□X/△/△ Flat head push button	Ø22mm 平钮


KW 系列 KW series 喷漆塑料头部 Painted plastic head						HBDS0-KW-□□/△ Flat head push button	Ø22mm 平钮
						HBDS0-KW-□□/△ Flat head push button with LED	Ø22mm 平钮带灯
						HBDS0-KW-□GD/△/△ High head push button	Ø22mm 高钮
						HBDS0-KW-□GD/△/△ High head push button with LED	Ø22mm 高钮带灯
						HBDS0-KW-□M/△/△ Mushroom button	Ø22mm 蘑菇钮
						HBDS0-KW-□MD/△/△ Mushroom button with LED	Ø22mm 蘑菇钮带灯
						HBDS0-KW-□SP/△/△ Flat head push button with ring LED	Ø22mm 平钮带灯
						HBDS0-KW-□X/△/△ Selector switch	Ø22mm 选择钮
						HBDS0-KW-□Y/△/△ Key switch	Ø22mm 钥匙钮
						HBDS0-KB-□□/△ Flat head push button	Ø22mm 平钮
						HBDS0-KB-□D/△/△ Flat head push button with LED	Ø22mm 平钮带灯
						HBDS0-KB-□GD/△/△ High head push button	Ø22mm 高钮
						HBDS0-KB-□GD/△/△ High head push button with LED	Ø22mm 高钮带灯
						HBDS0-KB-□F/△/△ Flat head push button with ring light circle	Ø22mm 平钮带灯
						HBDS0-KB-□E/△/△ Flat head push button with ring LED	Ø22mm 平钮带灯
						HBDS0-KB-□M/△/△ Mushroom button	Ø22mm 蘑菇钮
						HBDS0-KB-□MD/△/△ Mushroom button with LED	Ø22mm 蘑菇钮带灯
						HBDS0-KB-□X/△/△ Selector switch	Ø22mm 选择钮
						HBDS0-KB-□XB/△/△ Long handle selector switch	Ø22mm 长柄选择钮
						HBDS0-KB-□Y/△/△ Key switch	Ø22mm 钥匙钮
						HBDS0-KB-□G/△/△ Flat head push button	Ø22mm 平钮

							
NEW							
HBDS1-A-□TSF Ø16mm Emergency Stop Switch 急停按钮							

HBDS1-B							
系列号 Series Number	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	操作位置 Operating Position	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDS1-B Ø16mm	Y:圆形 F:方形 J:矩形 M:蘑菇头	11:1NO1NC 22:2NO2NC 33:3NO3NC	无:无灯 D:大面灯	无:复位按钮 Z:自锁式按钮 D:指示灯 X:选择按钮 XD:带灯选择按钮 Y:钥匙按钮 TS:急停按钮	选择按钮及钥匙按钮的操作位置 2:二位位置 3:三位位置 选择按钮及钥匙按钮的动作类型 1:保持式 3:全自复式	6V 12V 24V 36V 110V 220V 其他电压等级可定做	
No letters: Momentary Z: Latching D: Indicator light X: Selector switch XD: Selector switch with LED Y: Key switch TS: Emergency stop switch Operating position of the selector switch and key switch: 2: Two position 3: Three position 1: Keep type 3: Full self-reset and left self-reset Other voltages can be customized Red Green Yellow Orange Blue White + Common anode - Common cathode							

HBDS1-B系列按钮开关 HBDS1-B Series Push Button Switch				
				
HBDS1-BY-□◇■/▲/△ Ø16mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-BF-□◇■/▲/△ Ø16mm Square Pushbutton 方形按钮(可带灯)	HBDS1-BJ-□◇■/▲/△ Ø16mm Rectangle Pushbutton 矩形按钮(可带灯)		
				
HBDS1-BM-□◇■/▲/△ Ø16mm Mushroom Pushbutton 蘑菇头按钮(可带灯)	HBDS1-BFM-□◇■/▲/△ Ø16mm Big Square Pushbutton 大方按钮(可带灯)	HBDS1-BJM-□◇■/▲/△ Ø16mm Big Rectangle Pushbutton 大矩形按钮(可带灯)	HBDS1-BY-X-□◇● Ø16mm Round Selector Switch 圆形选择按钮	HBDS1-BF-X-□◇● Ø16mm Square Selector Switch 方形选择按钮
				
HBDS1-BJ-X-□◇● Ø16mm Rectangle Selector Switch 矩形选择按钮	HBDS1-BY-TS(带急停) Ø16mm Emergency Stop Switch 急停按钮			

HBDS1-A								
系列号 Series Number	品种型号 Variety Model	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	操作位置 Operating Position	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBDS1-A	P:黑色边框 W:白色边框	Y:圆形 F:方形 J:矩形	11:1NO1NC 22:2NO2NC	无:无灯 D:大面灯 T:电源符号(可定制其他符号)	无:复位按钮 Z:自锁式按钮 X:选择按钮 XD:带灯选择按钮 Y:钥匙按钮 TS:急停按钮 DTS:带灯急停按钮	选择按钮及钥匙按钮的操作位置 2:二位位置 3:三位位置 选择按钮及钥匙按钮的动作类型 1:保持式 3:全自复式	6V 12V 24V 36V 110V 220V 其他电压等级可定做	
No letters: Flat head without LED D: Large surface LED T: Power symbol (Other symbols can be customized) No letters: Momentary Z: Latching X: Selector switch XD: Selector switch with LED Y: Key switch TS: Emergency stop switch with LED Operating position of the selector switch and key switch: 2: Two position 3: Three position 1: Keep type 3: Full self-reset and left self-reset Other voltages can be customized Red Green Yellow Orange Blue White + Common anode - Common cathode								

HBDS1-AW系列按钮开关 HBDS1-AW Type Push Button Switch φ22mm				
				
HBDS1-AWY-□◇■/▲/△ Ø22mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-AWF-□◇■/▲/△ Ø22mm Square Pushbutton 方形按钮(可带灯)	HBDS1-AWJ-□◇■/▲/△ Ø22mm Rectangle Pushbutton 矩形按钮(可带灯)		
				
HBDS1-AWF-X-□◇■/▲/△ Ø22mm Square Pushbutton 方形按钮(可带灯)	HBDS1-AWJ-X-□◇■/▲/△ Ø22mm Rectangle Pushbutton 矩形按钮(可带灯)	HBDS1-APY-□◇■/▲/△ Ø22mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-APF-□◇■/▲/△ Ø22mm Square Pushbutton 方形按钮(可带灯)	HBDS1-APJ-□◇■/▲/△ Ø22mm Rectangle Pushbutton 矩形按钮(可带灯)
				
HBDS1-APY-X-□◇■/▲/△ Ø22mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-APJ-X-□◇■/▲/△ Ø22mm Rectangle Pushbutton 矩形按钮(可带灯)	HBDS1-APY-X-□◇■/▲/△ Ø22mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-APF-X-□◇■/▲/△ Ø22mm Square Pushbutton 方形按钮(可带灯)	HBDS1-APJ-X-□◇■/▲/△ Ø22mm Rectangle Pushbutton 矩形按钮(可带灯)
				
HBDS1-APY-X-□◇■/▲/△ Ø22mm Round Selector Switch 圆形选择按钮(可带灯)	HBDS1-APF-X-□◇■/▲/△ Ø22mm Square Selector Switch 方形选择按钮(可带灯)	HBDS1-APJ-X-□◇■/▲/△ Ø22mm Rectangle Selector Switch 矩形选择按钮(可带灯)	HBDS1-APY-X-□◇■/▲/△ Ø22mm Round Key Switch 圆形钥匙按钮	HBDS1-APF-X-□◇■/▲/△ Ø22mm Square Key Switch 方形钥匙按钮
				
HBDS1-APJ-X-□◇■/▲/△ Ø22mm Rectangle Key Switch 矩形钥匙按钮	HBDS1-APY-TS Ø22mm Emergency Stop Switch 急停按钮			

HBDS1-B	☆	○	-	□	◇	■	▲	△
系列号 Series Number	品种型号 Variety Model	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	操作类型 Operation Type	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color	
HBDS1-B	P:黑色边框 W:白色边框	Y:圆形 D:大面灯 J:矩形	11:1NO1NC 22:2NO2NC 33:3NO3NC	无:无灯 D:大面灯 T:电源符号(可定制 其他符号)	无:复位式按钮 Z:自锁式按钮 X:选择按钮 XD:带灯选择按钮 Y:钥匙按钮 TS:急停按钮 DTS:带灯急停按钮	6V 12V 24V 36V 110V 220V 其他电压等 级可定做	红色 绿色 黄色 橙色 蓝色 白色 + :共正极 - :共负极	
	P: Black border W: White border	Y: Round head D: Square head J: Rectangular head		No letters: Flat head without LED D: Large surface LED T: Power symbol Other symbols can be customized	No letters: Momentary Z: Latching X: Selector switch XD: Selector switch with LED Y: Key switch TS: Emergency stop switch DTS: Emergency stop switch with LED	Other voltages can be customized	Red Green Yellow Orange Blue White + Common anode - Common cathode	

HBDS1-BW型系列按钮开关

HBDS1-AW Type Push Button Switch

Φ22mm

黑色外壳价格与银白色价格相同
开关座加1NO1NC每只加4.0元
尘密封水型每只加2.00元

HBDS1-BWY-□-□-▲/▲/△ Φ22mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-BWJ-□-□-■/▲/△ Φ22mm Square Pushbutton 方形按钮(可带灯)	HBDS1-BWJ-□-□-■/▲/△ Φ22mm Rectangle Pushbutton 矩形按钮(可带灯)	HBDS1-BWY-□-□-■/▲/△ Φ22mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-BWF-□-□-■/▲/△ Φ22mm Square Pushbutton 方形按钮(可带灯)
HBDS1-BWJ-□-□-■/▲/△ Φ22mm Rectangle Pushbutton 矩形按钮(可带灯)	HBDS1-BPY-□-□-■/▲/△ Φ22mm Round Pushbutton 圆形按钮(可带灯)	HBDS1-BPJ-□-□-■/▲/△ Φ22mm Square Pushbutton 方形按钮(可带灯)	HBDS1-BPJ-□-□-■/▲/△ Φ22mm Rectangle Pushbutton 矩形按钮(可带灯)	HBDS1-BPY-□-□-■/▲/△ Φ22mm Round Pushbutton 圆形按钮(可带灯)
HBDS1-BPJ-□-□-■/▲/△ Φ22mm Square Pushbutton 方形按钮(可带灯)	HBDS1-BPJ-□-□-■/▲/△ Φ22mm Rectangle Pushbutton 矩形按钮(可带灯)			

HB DY5	○	-	□	◇	■	◆	▲	△
系列号 Series Number	头部形状 The Front Shape	开关组合 Contact Configuration	带灯类型 Lamp Type	品种型号 Variety Model	操作类型 Operation Type	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color	
HB DY5:金属头部 HB DY5E:塑料头部	无字母:圆形 J:双头按钮 平钮+平钮 S:双头按钮 平钮+高钮	10: 1NO 01: 1NC 11: 1NO 1NC 22: 2NO 2NC	无:无灯按钮 D:带灯按钮 G:高头按钮 GD:高头带灯按钮 F:带防水罩按钮 T:带标志按钮 M:蘑菇头按钮 S:双头按钮 DS:带灯双头按钮	无:复位式按钮 Z:自锁式按钮 X:选择按钮 XB:长柄选择按钮 Y:钥匙按钮 TS:转动复位急停按钮 TL:推拉式急停按钮	选择按钮及钥匙按钮的操作位置 2:二位位置 3:三位位置 选择按钮及钥匙按钮的动作类型 1:保持式 2:右自复式 3:全自复式 4:左自复式	6V 12V 24V 36V 110V 220V 其他电压等 级可定做	红色 绿色 黄色 橙色 蓝色 白色 + :共正极 - :共负极	
	No letters: Round J: Double-headed push button S: Flat head push button + High head push button		No letters: Push button without LED D: Push button with LED G: High head push button GD: High head push button with LED F: Push button with waterproof cover T: Push button with symbol M: Mushroom head push button S: Double-headed push button DS: Double-headed push button with LED	No letters: Momentary Z: Latching X: Selector switch XB: Long handle selector switch Y: Key switch TS: Turn the reset emergency stop button TL: Push-pull emergency stop button	Operating position of the selector switch and key switch: 2: Two position 3: Three position Selector switch and key switch action type: 1: Maintaining type 2: Right self-reset 3: Right self-reset and left self-reset 4: Left self-reset	Other voltages can be customized	Red Green Yellow Orange Blue White + Common anode - Common cathode	

HB DY5(XB2、LAY5)系列按钮开关

HB DY5(XB2、LAY5) Series Push Button Switch

Φ22mm 慢动型
slow-moving type

开关座1常开或1常闭触点(3.0元), 可定制各种符号(1.0元)
Various symbols can be customised

HB DY5-□/△ Φ22/25mm Flat head pushbuttons 平钮	HB DY5-□/△ Φ22/25mm Flat head pushbuttons with marking 标志式平头按钮	HB DY5-□/△ Φ22/25mm Illuminated Flat Head Pushbuttons 带灯平钮	HB DY5-□/△ (Φ40) Φ22/25mm Mushroom Head Pushbuttons 蘑菇头按钮	HB DY5-□/△ Φ22/25mm Mushroom Head Pushbuttons 蘑菇头按钮
HB DY5-□/△ Φ22/25mm Push-pull 推拉式急停	HB DY5-□/△ Φ22/25mm Turn to release 转动复位急停	HB DY5-□/△ Φ22/25mm Turn to release 转动复位急停	HB DY5-□/△ Φ22/25mm Key release 钥匙复位	HB DY5-□/△ Φ22/25mm Selector Switches 选择按钮
HB DY5-□/△ Φ22/25mm Long Handle Selector Switches 长柄选择按钮	HB DY5-□/△ Φ22/25mm Key switches 钥匙按钮	HB DY5-□/△ Φ22/25mm Illuminated Selector Switches 带灯选择按钮	HB DY5-□/△ Φ22/25mm Double-headed pushbuttons 双头按钮(平钮+平钮)	HB DY5-□/△ Φ22/25mm Double-headed pushbuttons 双头按钮(平钮+高钮)
HB DY5-□/△ Φ22/25mm Double-headed pushbuttons 带罩双头按钮(平钮+平钮)	HB DY5-□/△ Φ22/25mm Double-headed pushbuttons 带罩双头按钮(平钮+高钮)	HB DY5-□/△ Φ22/25mm Illuminated Double-headed pushbuttons 带灯双头按钮(平钮+平钮)	HB DY5-□/△ Φ22/25mm Illuminated Double-headed pushbuttons 带灯双头按钮(平钮+高钮)	

HBDWN20

ROTARY SWITCHES

万能转换开关

		
HBDWN20-CG Conventional type 常规型	HBDWN20-DZ Voltage conversion type 电压转换型	HBDWN20-DB Conventional type baseplate 常规型带底板
		
HBDWN20-DK Single hole installation 常规型单孔安装	HBDWN20-DZF Conventional type 常规型单孔自复	HBDWN20-DRG Special capacitor cabinet 常规型电容器柜专用
		
HBDWN20-GS Padlock type 挂锁型	HBDWN20-YS Switch with lock power 带锁电源切换	

HBDWN16

ROTARY SWITCHES

万能转换开关

		
HBDWN16-CG Conventional type 常规型	HBDWN16-ZF Self replicating 自复型	HBDWN16-DZ Voltage conversion type 电压转换型

CROSS SWITCH

十字开关系列

			
HBDY5-PA12 自锁 HBDY5-PA22 自锁 Cross Switch 十字开关	HBDY5-PA14 自锁 HBDY5-PA24 自锁 Cross Switch 十字开关	HBDY5-201 自锁 HBDY5-201 自锁 Cross Switch 十字开关	HBDY5-402 自锁 HBDY5-402 自锁 Cross Switch 十字开关

系列号 Series Number	颈部安装尺寸 Neck Mounting Dimensions	辅助代号 Auxiliary code	结构形式 Form of structure	带灯电压AC/DC LED Voltage	灯珠颜色 LED Color
HBD16	Ø:8mm Ø:10mm Ø:12mm Ø:16mm Ø:22mm Ø:30mm	A: 插脚款 D: 螺丝脚款 SM: 闪光蜂鸣器 D/B: 双色灯	无: 标准形结构 S: 超短形结构	6V 12V 24V 36V 110V 220V 其他电压等 级可定做	红色 绿色 黄色 蓝色 白色

HBD16信号指示灯系列

HBD16 Series Indicator


		
HBD16-8A/△/△ Pilot Light 指示灯	HBD16-12A/△/△ Pilot Light 指示灯	HBD16-16D/△/△ Pilot Light 指示灯

				
HBD16-16SM/△/△ Flashing Buzzer 闪光蜂鸣器	HBD16-22DS/△/△ Pilot Light 指示灯(短款)	HBD16-22DG/△/△ Pilot Light 指示灯	HBD16-22DT/△/△ Pilot Light 指示灯	HBD16-22BSM/△/△ Flashing Buzzer 闪光蜂鸣器
				
HBD16-22SM/△/△ Flashing Buzzer 闪光蜂鸣器	HBD16-30D/△/△ Pilot Light 指示灯	HBD16-22B/△/△ Bi-color Lamp 双色信号指示灯	HBD16-22FWD/△/△ Circuit breaker position indicator 断路器位置指示灯	HBD16-22FWG/△/△ Isolating switch position indicator 隔离刀位置指示灯
				
HBD16-22FWN/△/△ Grounding position indicator 接地位置指示灯	HBD16-22WDW/△/△ Circuit breaker position indicator 断路器位置指示灯	HBD16-22DWG/△/△ Isolating switch position indicator 隔离刀位置指示灯	HBD16-22DWN/△/△ Grounding position indicator 接地位置指示灯	




系列号 Series Number	材质说明 Material Description	孔数 Hole	开孔尺寸 Hole Size	按钮盒款式 Button Box Style
HBD	BX: 铝合金材质 BXC: 铝合金材质(加深款) BX: Aluminum alloy material BXC: Aluminum alloy material(deepening version)	1,2,3,4,5,6 其他孔数可定制 Other holes can be customized	16: Ø16mm 19: Ø19mm 22: Ø22mm	A: 带耳 B: 不带耳

CONTROL BOX

控制按钮盒系列
Control button box series

			
HBD-BX1/□/■ Aluminum one-hole button box 铝合金一孔按钮盒	HBD-BX2/□/■ Aluminum two-hole button box 铝合金二孔按钮盒	HBD-BX3/□/■ Aluminum three-hole button box 铝合金三孔按钮盒	HBD-BX4/□/■ Aluminum four-hole button box 铝合金四孔按钮盒
			
HBD-BX5/□/■ Aluminum five-hole button box 铝合金五孔按钮盒	HBD-BXC1/□/■ Aluminum one-hole button box 铝合金一孔按钮盒	HBD-BXC2/□/■ Aluminum two-hole button box 铝合金二孔按钮盒	HBD-BXC3/□/■ Aluminum three-hole button box 铝合金三孔按钮盒
			
HBD-BX5/□/■ Aluminum five-hole button box 铝合金五孔按钮盒	HBD-BX2/□/■ Aluminum two-hole button box 铝合金二孔按钮盒	HBD-BX3/□/■ Aluminum three-hole button box 铝合金三孔按钮盒	HBD-BX4/□/■ Aluminum four-hole button box 铝合金四孔按钮盒

HBD	□	-	■	/	☆	□
系列号 Series Number	孔数 Hole	按钮盒款式 Button Box Style	上盖颜色 Top cover colour	下盖颜色 Lower cover colour	开孔尺寸 Hole Size	
HBD	1,2,3,4,5,6 其他孔数可定制 Other holes can be customised	A B	W:白色 O:橙色 Y:黄色 G:蓝灰色 W: White O: Orange Y: Yellow G: Blue-grey	W:白色 N:黑色 W: White N: Black	16:Ø16mm 19:Ø19mm 22:Ø22mm	

CONTROL BOX 控制按钮盒系列					
	HBD-1A-WN□ Button box for single hole 一孔按钮盒	HBD-1A-YN□ Button box for single hole 一孔按钮盒	HBD-2A-WN□ Button box for two hole 二孔按钮盒	HBD-2A-YN□ Button box for two hole 二孔按钮盒	
					
	HBD-3A-WN□ Button box for two hole 二孔按钮盒	HBD-3A-YN□ Button box for three hole 三孔按钮盒	HBD-4A-WN□ Button box for four hole 四孔按钮盒	HBD-4A-YN□ Button box for four hole 四孔按钮盒	HBD-5A-WN□ Button box for five hole 五孔按钮盒
					
	HBD-5A-YN□ Button box for five hole 五孔按钮盒	HBD-6A-WN□ Button box for six hole 六孔按钮盒	HBD-6A-YN□ Button box for six hole 六孔按钮盒	HBD-1B-YN□ Button box for single hole 一孔按钮盒	HBD-2B-YN□ Button box for two hole 二孔按钮盒
					
HBD-3B-YN□ Button box for three hole 三孔按钮盒	HBD-1B-GW□ Button box for single hole 一孔按钮盒	HBD-1B-YW□ Button box for single hole 一孔按钮盒	HBD-2B-GW□ Button box for two hole 二孔按钮盒	HBD-3B-GW□ Button box for three hole 三孔按钮盒	
					
HBD-4B-GW□ Button box for four hole 四孔按钮盒	HBD-5B-GW□ Button box for five hole 五孔按钮盒	HBD-6B-GW□ Button box for six hole 六孔按钮盒	HBD-1B-GW/P□ Button box for single hole (with cable glands) 一孔按钮盒(带防水接头)	HBD-1B-YW/P□ Button box for single hole (with cable glands) 一孔按钮盒(带防水接头)	
					
HBD-1C-YY□ Button box for single hole 一孔按钮盒	HBD-2C-YY□ Button box for two hole 二孔按钮盒	HBD-3C-YY□ Button box for three hole 三孔按钮盒	1 Flush green pushbutton spring return 1绿色平头按钮弹簧返回	1 Flush red pushbutton spring return 1红色平头按钮弹簧返回	

				
1 red mushroom head pushbutton turn to release 1红色旋转复位急停按钮	1 Projecting red pushbutton spring return 1红色凸头按钮	1 Selector switch 2-Position stay put Standard handle, 1选择开关 2位置锁定式标准手柄	1 Key switch, key with drawal in left-hand position 1钥匙开关 2位置锁定式从左弹回	1 red mushroom head pushbutton turn to release 1红色旋转复位急停按钮
				
1 red mushroom head pushbutton, Key release 1红色蘑菇头按钮, 钥匙复位	2 spring return pushbuttons 1 flush green 1 flush red 1绿色平头按钮 1红色平头按钮	1 flush white(black arrow) 1 flush black(white arrow) 1白色平头(黑箭头) 1黑色平头(白箭头)	1 red pilot light 1 flush green 1 flush red 1红色指示灯 1绿色平头按钮 1红色平头按钮	1 flush green 1 flush red, 1 flush green 1绿色平头按钮 1红色平头按钮 1绿色平头按钮
				
1 flush white(black arrow) 1 flush red 1 flush black(white arrow) 1白色平头(黑箭头) 1红色平头 1黑色平头(白箭头)	1 flush white(black arrow) 1 flush green 1 flush black(white arrow) 1白色平头(黑箭头) 1绿色平头按钮 1黑色平头(白箭头)	1 flush white(black arrow) 1 red mushroom head pushbutton turn to release 1 flush black(white arrow) 1白色平头(黑箭头) 1红色蘑菇头按钮 1黑色平头(白箭头)	1 flush white(black arrow) 1 Selector switch 2-Position stay put Standard handle 1 flush black(white arrow) 1白色平头(黑箭头) 1选择开关 2位置锁定式标准手柄 1黑色平头(白箭头)	

BUTTON ACCESSORIES

按钮附件系列

线的插头的数量 Number of wires/pins	线的长度 Length of line	开孔尺寸 Hole Size	带灯部分电压 LED Voltage	头部颜色 Head Color
			6V	 红色
			12V	 绿色
			24V	 黄色
			36V	 橙色
			110V	 蓝色
			220V	 白色

螺纹手柄
Threaded Handle



塑料螺纹手柄 Ø22 Plastic Threaded Handle HBD-T38	金属六角螺纹手柄 Ø12 Metal Hexagonal Threaded Handle HBD-T39/○
---	---

**快速安装
连接件**
Quick Connector



HBD51-AGQ系列	Ø16	HBDGQ22系列	Ø22	HBDGQ25系列	Ø25	HBS1-D22系列	Ø22		Ø22
快速安装连接件	Ø19	快速安装连接件		快速安装连接件		快速安装连接件		快速安装连接件	
Quick connector	Ø22	Quick connector		Quick connector		Quick connector		Quick connector	
HBD-T1□/■	Ø25	HBD-T2□/■		HBD-T3□/■		HBD-T19□/■		HBD-T18□/■	
	Ø30								

防护罩
Protective cover



圆形和方形防护罩 Ø16 Round and square protective cover HBD-T5	矩形防护罩 Ø16 Rectangular protective cover HBD-T6	圆形按钮保护罩 Ø16 Round Button Protective Cover ⁰²² HBD-T14/○	方形按钮保护罩 20.5*20.5 Square Button Protective Cover HBD-T15	矩形按钮保护罩 20.5*26.5 Rectangular Button Protective Cove HBD-T16
--	--	---	---	---

防水罩
Waterproof cover



平钮防水、防尘罩 Flat button waterproof, dustproof cover HBD-T9/OF	高钮防水、防尘罩 High button waterproof, dustproof cover HBD-T9/OH	密封罩 Sealing cover HBD-T10	Ø22	双头按钮防水罩 Waterproof cover for double-headed buttons HBD-T33
---	---	---------------------------------	-----	---

急停保护罩
Emergency stop protective cover



保护罩 Ø16	保护罩 Ø16	保护罩 Ø16	保护罩 Ø16	保护罩 Ø16	保护罩 Ø16	保护罩 Ø16	保护罩 Ø16	保护罩 Ø16
Protective cover HBD-T11/1631/Y	Protective cover HBD-T11/1631/O	Protective cover HBD-T11/1640/Y	Protective cover HBD-T11/1640/O	Protective cover HBD-T12/1643/Y	Protective cover HBD-T12/1643/O	Protective cover HBD-T12/1643/Y	Protective cover HBD-T12/1643/O	Protective cover HBD-T12/1652/Y



保护罩 016	保护罩 022	保护罩 022	保护罩 022	保护罩(带贴纸) 022	保护罩 022	保护罩 022	保护罩 022
Protective cover HBD-T12/1652/O	Protective cover HBD-T23/22	Protective cover HBD-T24/2240	Protective cover HBD-T25/22	Protective cover(with sticker) HBD-T26/22	Protective cover HBD-T27/22	Protective cover HBD-T28/22	Protective cover HBD-T29/22



保護罩	022	保護罩	022	保護罩	022	保護罩	025	保護罩(帶貼紙)	025	保護罩	025	保護罩(帶貼紙)	030	保護罩	030
Protective cover HBD-T17/22		Protective cover HBD-T30/22		Protective cover HBD-T31/22		Protective cover HBD-T24/2560		Protective cover HBD-T26/25		Protective cover HBD-T27/25		Protective cover HBD-T26/30		Protective cover HBD-T28/30	




警告圈 Waring circle HBD-T7/1646	Ø16	警告圈 Waring circle HBD-T7/2240	Ø22	警告圈 Waring circle HBD-T7/2260	Ø22
-------------------------------------	-----	-------------------------------------	-----	-------------------------------------	-----



面板塞 Panel plug HBD-T40/○	Ø16 Ø19	面板塞 Panel plug HBD-T40/○	Ø22 Ø25
--------------------------------	------------	--------------------------------	------------

变径圈
Diameter



变径圈 Ø16变Ø22 Diameter changring circle	变径圈 Ø16变Ø25 Diameter changring circle
---	---

其他附件
Other accessories



其他附件 Other accessories	标牌框	Ø16	航空插头防护罩	Ø12	航空插头
	Symbol frame	Ø22	Aviation plug		Aviation Plug
	HBD-T20/○	Ø25	protective cover		GX12-3P
		Ø30			

灯座
lamp holder



HBD-K系列灯座 HBD-K series lamp holder HBD-K-BV/▲/△	HBDY5-K系列灯座 HBDY5-K series lamp holder HBDY5-K-BV/▲/△	HBDS0-K系列灯座 HBDS0-K series lamp holder HBDS0-K-BV/▲/△
---	---	---



HBD-K10系列触点 HBD-K10 series contacts HBD-K10-BE/11	HBD-K20系列触点 HBD-K20 series contacts HBD-K20-BE/11	HBDY5-K系列触点 HBDY5-K series contacts HBDY5-K-BE/10	HBDY5-K系列触点 HBDY5-K series contacts HBDY5-K-BE/01	HBD50-K系列触点 HBD50-K series contacts HBD50-K-BE/11
---	---	---	---	---



以下图案及颜色都可订做，
也可根据客户要求订制各种图案。
The following patterns and colors
can be customized, and we can
also customize various patterns
according to customers' requirements.



